



#17

SEQUENCE LISTING

<110> Van Nest, Gary
Eiden, Joseph J. Jr.

<120> METHODS OF REDUCING PAPILLOMAVIRUS INFECTION USING IMMUNOMODULATORY
POLYNUCLEOTIDE SEQUENCES

<130> 377882001300

<140> 09/802,445

<141> 2001-03-09

<150> 60/188,265

<151> 2000-03-10

<160> 8

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing CG

<400> 1

tgactgtgaa cgttcgagat ga

22

<210> 2

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing CG

<400> 2

tgaccgtgaa cgttcgagat ga

22

<210> 3

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing CG

<400> 3

tcatctcgaa cgttccacag tca

23

<210> 4

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing CG

<400> 4

tgactgtgaa cggtccagat ga

22

<210> 5

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing CG

<400> 5

tccataacgt tcgcctaacg ttcgtc

26

<210> 6

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing (5-bromocytosine)G

<221> misc_feature

<222> (1)...(22)

<223> n = 5-bromocytosine

<400> 6

tgactgtgaa nggtccagat ga

22

<210> 7

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing (5-bromocytosine)G

<221> misc_feature

<222> (1)...(22)

<223> n = 5-bromocytosine

<400> 7

tgactgtgaa nggttcgagat ga

22

<210> 8

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Polynucleotide containing (5-bromocytosine)G

<221> misc_feature
<222> (1)...(22)
<223> n = 5-bromocytosine

<400> 8
tgactgtgaa ngttngagat ga

22